

SPECIFICATION

FOR

Montague Intermediate School

Bus Drop-Off Driveway Addition

Montague, Kings County, PE

Project 375-25198

Prepared by:

PEI Department of Transportation, Infrastructure and Energy

July 2026

TABLE OF CONTENTS

No. of Pages

Section AA	-	Site Visit.....	1
Section A	-	Invitation to Bidders	1
Section B	-	Instructions to Bidders.....	11
Section C	-	General Conditions of Contract	19
Section D	-	Form of Agreement.....	2
Section E	-	Tender Form.....	3
Section G	-	Safety Requirements.....	7
Section 1A	-	General Instructions.....	8
Section 1D	-	Temporary Facilities.....	1
Section 1E	-	Environmental Protection.....	1
Section 2B	-	Site Preparation	1
Section 2E	-	Excavation	3
Section 2J	-	Concrete Sidewalk	4
Section 2L	-	Manholes and Catch Basins	2

DRAWINGS

Sheet No.	-	Title
C-100	-	General Notes & Legend
C-101	-	Existing Conditions and Removals
C-102	-	Proposed Site Plan
C-200	-	Typical Details & Sections

1. GENERAL

- a) All bidders submitting tenders for this work shall first examine the site and all conditions thereon and/or therein. All tenders shall take into consideration all such conditions as may affect the work under this contract, no claims for extras resulting from conditions existing at the time of tender will be accepted by the Owner.

2. SITE VISIT

- a) **There will be a recommended site visit held Monday, July 20, 2026, at 10:00:00AM. Contractors are asked to meet at the Fraser Street entrance of the building.**

END

TIE Building Services Division is moving forward with our capital building repair and construction program and will be issuing tenders as follows:

Tender submissions will be received in clearly mark, sealed envelopes at the Security Desk at the main entrance of Jones Building, 11 Kent Street, Charlottetown, PEI, C1A 7N8 until **2:00:00PM, local time, on Thursday, July 23, 2026. Tender closes at 2:00:00PM, local time.**

**Montague Intermediate – Bus Drop-Off Driveway Addition
Montague, Kings County, PE**

Scope of Work:

1. This project includes the supply of all labour, material, equipment and supervision to the *Montague Intermediate – Bus Drop-Off Driveway Addition* as identified in the drawings and specification herein, including but not limited to the following:
 - Removal of portions of concrete sidewalk/curb and constructing new concrete/curb to allow for student and bus traffic
 - Installation of two catch basins and storm pipe to existing catch basin.
 - Relocation of an existing tree and plaque
 - New asphalt paving
 - Reinstate all areas affected by construction works.
 - Topsoil and seed disturbed areas
 - Engage with Maritime Electric Ltd. for bracing power pole

It is the Contractor's responsibility to ensure that they have incorporated all addenda into their bid submission.

- Tender envelopes must be clearly marked with the project Name.
- Tender documents will need to be received prior to 2PM on the date specified in the tender.
- No submissions will be accepted after that time.
- The tender opening will be opened to the public.
- Tender envelopes will be opened immediately after the tender closing.

Refer to Instructions to Bidders for Bid Security and Contract Security requirements.

Lowest or any Tender will not necessarily be accepted.

Any additional information can be obtained by contacting **Matt Langille, at 902-218-0738, fax 902-569-0590 or email mlangille@gov.pe.ca.**

END

1. GENERAL

- a) The Tender Documents, including General Conditions of Contract, the Instructions to bidders, Specifications, Tender Form and Drawings are all complementary and shall be read together.
- b) Each Tenderer shall examine the Tender Documents as soon as possible after receipt thereof and should he or she discover any errors or omissions therein, he or she shall notify the Department as soon as possible and at least seven (7) days prior to the date set for receiving tenders so that further instructions and/or drawings may be issued to all Tenderers before the date set for receiving tenders.

2. ADDENDA

- a) Tenders may, during the tendering period, be advised by addenda of required additions to, deletions from, or alterations to the requirements of the tender documents. All such changes shall become an integral part of the Tender Documents and shall be allowed for in arriving at the fixed sum tender figure. Addenda will only be posted to the Government tender site and issued to the Construction Associations. **It is the Contractor's responsibility to ensure that they have incorporated all addenda into their bid submission.**
- b) All enquiries or requests for clarification from Bidders to be made in writing and submitted to the Consultant not less than three (3) business days before the date set for receipt of Bids. Reply will be in form of an addendum, no later than two (2) working days before the date set for receipt of Bids.

3. BID AND CONTRACT SECURITY

BID SECURITY

- a) Each Tender submitted shall be accompanied by the following security:

- .1 General Contract Tender less than or equal to Three Million (\$3,000,000.00) Dollars, including mechanical and electrical subcontract values:

A Bid Bond equal to at least ten percent (10%) of the Tender amount and a Letter of Surety from a bonding company guaranteeing to supply a Performance Bond in the amount of fifty percent (50%) of the total contract amount.

OR

A Security Deposit equal to at least ten percent (10%) of the Tender amount.

- .2 General Contract Tender more than Three Million (\$3,000,000.00) Dollars, including mechanical and electrical subcontract values:

A Bid Bond equal to at least ten percent (10%) of the Tender amount and a Letter of Surety from a bonding company guaranteeing to supply a Performance Bond in the amount of fifty percent (50%) of the total contract amount and a Labour and Material Payment Bond in the amount of fifty percent (50%) of the total contract amount.

- b) .1 All Bonds and Letter of Surety, provided by General Contractors, made payable to the Owner.
- .2 Bonds and Letters of Surety supplied by the General Contractor to the Owner shall be from a recognized surety company, satisfactory to, and approved by the Owner.
- c) .1 Security Deposits, provided by General Contractors, must be in the form of a Certified Cheque or Bank Draft drawn on a Bank to which the Bank Act applies or a Credit Union, payable to “**Minister of Finance, Province of Prince Edward Island**”.

OR

- .2 Bond of the Government of Canada, unconditionally guaranteed, as to the principal and interest by the Government of Canada if such Bonds are:
- (a) Payable to the bearer, or
- (b) Accompanied by a duly executed instrument of transfer to the Owner, in the form prescribed by the Domestic Bonds of Canada Regulations, or
- (c) Negotiated as to principal or as to principal and interest in the name of the Owner, pursuant to the Domestic Bonds of Canada Regulations.
- d) Security deposits submitted through the Bid Depository, if applicable, shall conform to the requirements of the Bid Depository.

CONTRACT SECURITY

- a) Upon award of a contract the Contractor is to provide the following contract security:
- .1 General Contract Tender less than or equal to Three Million (\$3,000,000.00) Dollars, including mechanical and electrical subcontract values:

A Performance Bond in the amount of fifty percent (50%) of the contract amount.

OR

A Security Deposit in an amount equal to at least ten percent (10%) of the contract amount.

- .2 General Contract Tender more than Three Million (\$3,000,000.00) Dollars, including mechanical and electrical subcontract values:

A Performance Bond and a Labour and Materials Payment Bond, each in the amount of fifty percent (50%) of the contract amount.

- b) .1 All bonds, provided by General Contractors, are to be made payable to the Owner.
- .2 Bonds shall be from a recognized surety company, satisfactory, and approved by the Owner.
- .3 If a Performance Bond is utilized, it shall be maintained in force for a period of not less than twelve (12) months after the issuance of the total Performance Certificate.
- c) .1 Security Deposits, provided by General Contractors, must be in the form of a Certified Cheque or Bank Draft drawn on a Bank to which the Bank Act applies or a Credit Union, payable to **“Minister of Finance, Province of Prince Edward Island”**.

OR

- .2 Bonds of the Government of Canada, unconditionally guaranteed, as to the principal and interest by the Government of Canada if such Bonds are:
- (a) Payable to the bearer, or
- (b) Accompanied by a duly executed instrument of transfer to the Owner, in the form prescribed by the Domestic Bonds of Canada Regulations, or
- (c) Negotiated as to principal or as to principal and interest in the name of the Owner pursuant to the Domestic Bonds of Canada Regulations.
- (d) Contract security shall be provided at the expense of the Contractor, bonds shall be provided by an established surety company satisfactory to, and approved by the Owner. Certified Cheques or Bank Drafts shall be drawn on an account with a recognized financial institution.
- (e) Contract security submitted by subcontractors, to General Contractors, shall be in a form satisfactory to the General Contractor.

-
- d) If a Security Deposit is provided as Contract security, it may be replaced with a reduced deposit, after issuance of the Substantial Performance Certificate, which shall be held by the Owner for a period of not less than twelve (12) months after the issuance of the Substantial Performance Certificate. The amount of the reduced deposit shall be based on the following:

i. Contract value between \$1,000,001 and \$3,000,000	value 2%	of	Contract
ii. Contract value between \$250,001 and \$1,000,000	value 3%	of	Contract
iii. Contract value between \$75,001 and \$250,000	value 4%	of	Contract
iv. Contract value between \$0 and 75,000	value 5%	of	Contract

- e) Include cost of contract security in bid price.

4. CONSTRUCTION SCHEDULE

- a) Work is to begin on **July 24, 2026**.
- b) The completion date for this project shall be **September 4, 2026**.
- c) Contractor to provide a construction schedule, safety policy, proof of insurance and signed contract documents prior to starting work.

5. MATERIALS AND EQUALS

- a) Materials, plant and equipment are described and named specifically in the Specifications ONLY to describe types and qualities of materials, plant and equipment required.
- b) Suppliers or manufacturers wishing to have their material, plant or equipment approved as an equal shall submit complete technical information to the Consultant seven (7) days prior to the receipt of tenders. The Consultant shall review the material submitted and notify all prospective bidders of any materials, plant or equipment that have been accepted as equal.
- c) All bidders submitting a tender shall include in their tender amount only materials, plant or equipment as specified or that have been approved as an equal.

6. ALTERNATE PRODUCTS

- a) Approval may be given by the Consultant after the award of the Contract, on application in writing from the Contractor, for the substitution of a similar material, item or plant or equipment bearing another brand name or of other manufacture, subject to the following:

- .1 Any top-quality material or item of plant and equipment proposed as a substitute by the Contractor and considered by the Engineer to be of equal quality, value and price to that specified and suitable for the purpose intended, may be accepted as a substitute.
 - .2 Materials and items of plant and equipment which the Contractor proposes as substitutes and which are considered by the Engineer to be suitable for the purpose intended, but which are in their opinion of lesser value, quality and price than those specified will only be accepted as substitutes if reasonable credits are allowed for their use.
 - .3 Requests for alternatives must be made by the Contractor well in advance of the time the item is to be ordered. The request shall be accompanied by sufficient information in the form of manufacturers' literature, samples, and other data to permit proper investigation of the substitutes proposed.
- b) Bidders are requested to include information on alternates as an appendix to this tender. The information should indicate the proposed credit or extra, to the tender amount, and include sufficient data to allow the Consultant to evaluate the item proposed as an alternate.

7. SUPERVISION AND COORDINATION

- a) The Contractor shall be responsible for supervising and coordinating all aspects of the work.
- b) The Contractor shall include in their quotation all cost relative to supervising sub-Contractors, including those submitting tenders directly to the Owner, which form a portion of the complete project and shall be assigned to the successful General Contractor.

8. RESPONSIBILITY

- a) The Contractor shall be responsible to be fully familiar with the complete documents and shall include in their tender those items which are named, implied, or traditionally a part of the general contract work.

9. DEFINITIONS

In this specification the following terms shall have the definitions noted below:

OWNER:	Government of Prince Edward Island as represented by the Minister of Transportation, Infrastructure and Energy
CONSULTANT:	BELLCOR Engineering

10. SITE INSPECTOR

- a) There will be an Inspector representing the Department of Transportation, Infrastructure and Energy, Province of PEI. No work is to be covered without having received approval from the Inspector. The Inspector will have the authority to cause any part of the work to cease, should, in their opinion, there be a cause to do so.
This work shall be examined by the Department and approval granted to resume when a satisfactory solution has been found.
- b) The inspector does not have authority to authorize changes to work. He or she shall confer with the Consultant or Engineer who, if necessary, will authorize any change.
- c) The fact that the inspector does not reject any work shall not remove the responsibility for completing all work as specified, from the Contractor.

11. OWNERS RIGHT TO TERMINATE CONTRACT

- a) The Owner reserves the right to remove the Contractor from the site if the work is not completed as specified in Paragraph 4. If the Contractor is removed, the Owner shall have the work completed and deduct the cost of this work from the amount owing the Contractor and their bid deposit.

12. SUB-CONTRACTORS

- a) Bidders shall include with their tender, in the space in **Section E – Contract Tender**, Appendix A, the name of each Subcontractor and/or Supplier, as designated, whose price has been included in their tender and who will perform the trade work. Substitution for another Subcontractor in the event that the listed Subcontractor is unable to do the work shall be subject to the approval of the Owner and contingent on evidence satisfactory to the Owner that the original Subcontractor's price was legitimately carried in the Tender, and that the original Subcontractor is now incapable of carrying out the work required under the subcontract, or that he refuses to carry out the work and provides documented reasons for such incapability or refusal.
- b) The term "Own Forces," as a subcontractor, may be used by a Bidder where the Bidder is equipped to and in fact normally carries out the trade work using employees in the direct employment of the Contractor or a wholly owned subsidiary company. Other designations such as "Own Estimate" are unacceptable and may be cause for rejection of the tender by the Owner. **Carrying Subcontractor options next to identified work will not be acceptable.**
- c) When a Bidder indicates "Own Forces" as a subcontractor, the Bidder may be required to demonstrate to the Owner that he has the resources, experience and employees necessary,

available and qualified to perform the trade work in a manner and quality satisfactory to fulfill the obligations of the Contract Documents and that the trade work is a normal and continual part of his business.

- d) A Bidder, whose tender is accepted, that included “Own Forces” for a subcontract will if requested, provide the Owner with payroll records verifying that the employees carrying out the “Own Forces” subcontract work are direct employees of the Contractor or of a wholly owned subsidiary company of the Contractor.
- e) All Sub-Contractors are advised to become familiar with all Specifications and Drawings. The General Contractor shall ensure that all sub-trades understand their entire responsibilities in order to complete the project. Sub-trade work may appear in various sections of Specifications and on various drawings.

13. GUARANTEES

- a) The Contractor shall be required to guarantee the work of this Contract for a period of twelve (12) months after the Owner’s acceptance of the work, against improper or defective materials and workmanship, and shall repair and make good at their own expense any damage to the building and contents through any of the above causes during this period. Any contract omissions and/or deficiencies reported to the Contractor within twelve (12) months after acceptance of the work shall be made good by the Contractor at their own expense.
- b) Notwithstanding the above, the bidder’s attention is directed to the fact that certain individual items on this project may be required to be guaranteed by the manufacturer for periods in excess of twelve (12) months. These specific requirements are to be found in various sections of the Specifications for this project.

14. OFFER ACCEPTANCE/ REJECTION

- a) Duration of Offer:
 - a. Bids to remain open to acceptance, and irrevocable for 30 days after Bid closing date.
- b) Bid Evaluation:

The Consultant and Owner will evaluate Bids submitted for this project. The criteria considered in evaluating the Bids and awarding the Contract will include a combination of:

 - a. Bid amount;
 - b. Scheduling;
 - c. Compliance;
 - d. Expertise and experience;

- e. Past performance of the Bidder on projects for the Owner, including:
 - a. Quality of work
 - b. Ability to complete project on schedule
 - c. Ability to organize work activities and subcontractors;
 - f. The Bidder's qualifications to perform the Work, the Bidder's financial capacity to do the Work and the competency of the Bidder;
 - g. Qualifications of the Bidder and named Subcontractors/Suppliers (see paragraph 12. Subcontractors); and
 - h. Any other conditions may be determined by the Owner to be in the best interests of the Owner. A decision on acceptance of a Bid will be made by the Owner based on the results of the Consultant and Owner's evaluation.
- c) Acceptance of Offer:
- a. Owner reserves right to accept or reject any or all offers.
 - b. The lowest or any Bid will not necessarily be accepted.
 - c. Bids submitted which indicate "Own Forces" for subcontract work, that in the opinion of the Owner cannot be successfully completed by the Bidder's employees will not be accepted.
 - d. Bids not submitted on the required form will be rejected.
 - e. Bids which are incomplete or qualified will be rejected.
 - f. This Bid creates no obligation on the part of the Owner to award the contract or to reimburse proponents for the proposal preparation expenses. The Owner reserves the right to accept or reject any and all proposals, in whole or in part, received as a result of this request, and to negotiate in any manner necessary to best serve the interest of the Owner.
 - g. All Bidders acknowledge that they have no claim against, or entitlement to damages from the Owner of the Consultant by reason of the Owner's rejection of their individual Bids or all Bids.
 - h. Following acceptance of the Bid by the Owner, the Consultant will issue a written notice of acceptance to the successful Bidder.
 - i. Following acceptance of a Bid, the Owner will return Bid Security Deposits that were submitted with Bids which were not accepted.

15. CONSULTANT'S INTERPRETATION

- a) The Consultant's interpretation of plans and specifications shall be final. Should the Contractor have any doubt as to interpretation, he or she shall refer to the Consultant for clarification

before submitting their tender. No allowances or extras will be made for misinterpretation of plans and specifications by the Contractor.

16. PERMITS, REGULATIONS AND TAXES

- a) All permits and fees required for the proper completion and inspection of the work herein specified will be paid for by the Contractor. Except the building permit which will be paid for by the Owner. All applicable taxes shall be included in the tender price, excluding the Harmonized Sales Tax. The Contractor, as per current Provincial Regulations, shall include on all invoices the Harmonized Sales Tax as an additional line item. This would be in addition to the tender amount which does not include HST.
- b) The work shall be completed to the satisfaction of the Consultant and local inspecting authorities.
- c) In the absence of any provisions contained herein, the applicable Provincial Codes or the National Building Code shall govern in that order.
- d) The latest edition of the Canadian Electrical Code shall govern all Electrical work, whether prewired and/or assembled remote from the site or not.
- e) All equipment supplied or installed shall be CSA approved for the intended use.
- f) All materials, components and equipment as well as construction methods shall comply with the latest edition of the National Building Code and all other applicable codes or regulations.
- g) The latest edition of the PEI Occupational Health and Safety Act and Regulations shall govern safe construction practices.

17. EXISTING CONDITIONS

- a) Bidders will be held to have examined the Tender Documents, to have visited the site and to have informed themselves as to existing conditions and limitations.
- b) If in the performance of the contract, subsurface or latent conditions at the site are found to be materially different from those indicated by the drawings and specifications, or unknown conditions not usually inherent in work of the character shown and specified, the attention of the Consultant shall be called immediately in writing to such conditions before they are disturbed. Upon such notice, or upon their own observation of such conditions, the Consultant shall promptly make such changes in the drawings and specifications as he or she finds necessary to conform to the different conditions and any increase or decrease in the cost shall be adjusted as provided under “Changes in the Work”.

18. RECEIPT AND OPENING OF TENDERS

- a) Tenders will be opened at the time and place stated in the tender call. The officer whose duty it is to open them will decide when the specified time has arrived. No responsibility will attach to any officer for the premature opening of a bid not properly addressed and identified.

19. AWARD OF CONTRACT

- a) If the tender is accepted the Contract will be awarded as promptly after the opening of bids as is possible. The selection of the tender that is accepted shall be at the sole discretion of the Owner.
- b) Each bidder shall be prepared, if so requested by the Owner, prior to the award of the Contract to present evidence of their experience, qualifications and financial ability to carry out the terms of the Contract.

20. TENDER SUBMISSION

- a) Tenders must be submitted on the form included with this specification. This form must be completely filled out in ink or be typewritten with the signature in longhand. The completed forms shall be without interlineations, alteration or erasures.
- b) The tender, together with the Tender Security described in this section must be addressed and delivered in a sealed envelope marked “Tender” and bearing the name of the Contractor submitting the tender, together with identification indicating the name of the project.
- c) Tenders will be received at the place and time indicated in the tender call. Late tenders will not be accepted and will be returned unopened to the tenderer.
- d) Amendments to the submitted offer will be permitted if received in writing prior to tender closing and if endorsed by the same party or parties who signed and sealed the offer. Amendments submitted by fax will be accepted, if received prior to tender closing. (Fax (902) 569-0590).
- e) The receipt of addenda for the project shall be acknowledged by filling in the addendum number and date of issue for each addendum on the appropriate line in the tender form. These lines shall be initialed by the person signing the tender after they have been filled in.
- f) Any appendices to the tender form requesting information on suppliers, sub-contractors or alternate prices shall be filled in for the tender to be considered complete.

21. TAXES

- a) All tenders submitted shall EXCLUDE the Harmonized Sales Tax.

22. CONFIDENTIALITY AND FREEDOM OF INFORMATION (Effective November 1, 2002)

- a) By submitting your bid, you agree to disclosure of the information supplied, subject to the provisions of the Freedom of Information and Protection of Privacy (FOIPP) Act.
- b) Anything submitted in your bid that you consider to be “confidential information” because of its proprietary nature should be marked as “CONFIDENTIAL” and will be subject to appropriate consideration under the Freedom of Information and Protection of Privacy Act.
- c) During the delivery and installation of goods and/or services, you may have access to confidential or personal information. Should this occur, you must ensure that such information is not released to any third party or unauthorized individual.
- d) Any information provided on this contract may be subject to release under the Freedom of Information and Protection of Privacy Act. You will be consulted prior to the release of any information.

23. HEALTH AND SAFETY COMPLIANCE REQUIREMENTS – POLICIES AND PROTOCOLS

- a) Contractor to follow all Government Health and Safety policies and protocols as required by the project’s facility or property onto which the work must occur. Such policies and protocols must be reviewed and discussed prior to the start of the work on the site.

END

INDEX

- | | |
|--------------------------------------|---|
| 1. Definitions | 25. Valuation of Changes |
| 2. Documents | 26. Application for Payments |
| 3. Detail Drawings & Instructions | 27. Certificates & Payments |
| 4. Copies Furnished | 28. Taxes |
| 5. Shop Drawings | 29. Permits, Notices. Laws & Rules |
| 6. Drawings & Specs on the Work | 30. Patent Fees |
| 7. Ownership of Drawings & Model | 31. Use of Premises |
| 8. Samples | 32. Cleaning Up |
| 9. Material Tests & Mix Designs | 33. Cutting, Patching & Digging |
| 10. Consultant and Contractor | 34. Delays |
| 11. Consultant's Decisions | 35. Owner's Right to do Work |
| 12. Superintendence | 36. Owner's Right to Terminate Contract |
| 13. Materials, Appliances, Employees | 37. Contractor's Right to Suspend Work or
Terminate contract |
| 14. Inspection of Work | 38. Damages & Mutual Responsibility |
| 15. Rejected Work | 39. Separate Contracts with Other Contractors |
| 16. Deductions of Uncorrected Work | 40. Assignment |
| 17. Correction after Completion | 41. Subcontracts |
| 18. Emergencies | 42. Relations of Contractor and Sub-Contractor |
| 19. Protection of Work & Property | 43. Arbitration |
| 20. Contractors' Insurance | 44. Owner Signing Authority |
| 21. Performance bond | 45. Conflict of Interest |
| 22. Cash Allowance | |
| 23. Sub-surface Conditions | |
| 24. Changes in the Work | |

1. DEFINITIONS

- a) The Contract Documents shall include instructions to Tenderers, General Conditions, Supplementary General Conditions, Specifications, Drawings, Tender Form and the signed agreement.
- b) The Owner, the Contractor and the Consultant are those names as such in the Agreement and Specifications.
- c) The term 'Subcontractor' includes only a person, firm or corporation having a contract for the execution of a part or parts of the work included in the Contract, and a person, firm or corporation furnishing material called for in the Contract and worked to a special design according to the Drawings or Specifications, but does not include one who merely furnishes material not so worked.
- d) The term 'work' includes all labour, materials and services required, as shown or described in the contract, documents, supplied and installed or erected complete at the place of building.
- e) The term 'Other Contractor' means any person, firm or corporation employed by or having a contract directly or indirectly with the Owner otherwise than through the Contractor.
- f) The place of building is the designated site or location of the completed work.
- g) The law of the place of building shall govern the work.
- h) For the purpose of contract signing authority, the Director is the Director of the Building Services Division of the PEI Department of Transportation, Infrastructure and Energy.

2. DOCUMENTS

- a) The Contract Documents shall be signed in duplicate by the Owner and Contractor. The Contract Documents are complementary and what is called for by any one shall be as binding as if call for by all. The intention of the documents is to include all labour and materials reasonably necessary for the proper execution of the work. It is not intended however, that materials or work not covered by or properly inferable from any heading, section or trade in the specifications shall be supplied unless shown on the drawings. Descriptions of materials or work in words which so applied have well known technical or trade meanings shall be held to refer to such recognized standards. Should the specification conflict with the drawings, the specifications shall govern. In the case of discrepancies between drawings, those of larger scale, or if the scales are the same, those of later date shall govern.

All drawings and specifications shall be interpreted in conformity with the agreement and these General Conditions which shall govern.

3. DETAIL DRAWINGS & INSTRUCTIONS

- a) The Consultant shall furnish as necessary for the execution of the work, additional instructions, by means of drawings or otherwise. All such additional instructions shall be consistent with the Contract Documents. The work shall be executed in conformity therewith and the Contractor shall do no work without such additional instructions. In giving such additional instructions, the Consultant shall have authority to make minor changes in the work, not inconsistent with the Contract.

If either the Contractor or the Consultant so request, they shall jointly prepare a schedule, subject to change from time to time in accordance with the progress of the work fixing the dates at which the various detail drawings will be required and the Consultant shall furnish them in accordance with this schedule, and on like request, a schedule shall be prepared, fixing the dates for the submission of shop drawings, for the beginning of manufacture and installation of materials and for the completion of the various parts of the work.

4. COPIES FURNISHED

- a) The Consultant shall furnish to the Contractor, without charge, as many copies of all Drawings and Specifications as are reasonably necessary for the proper execution of the work.

5. SHOP DRAWINGS

- a) The Contractor shall furnish to the Consultant, at proper times, all shop and setting drawings or diagrams which the Consultant may deem necessary in order to clarify the details of the work. The Contractor shall make any changes in such drawings or diagrams which the Consultant may require consistent with the Contract, and shall submit sufficient copies of the revised prints to the Consultant for approval – all but one of which shall be returned to the Contractor if approved by the Consultant. When submitting such shop and setting drawings, the Contractor shall notify the Consultant in writing of changes made therein from the Consultant's Drawings or Specification. The Consultant's approval of such drawings or of the revised drawings shall not relieve the Contractor from responsibility for errors made by the Contractor therein or for changes made from the Consultant's Drawings or Specifications not covered by the Contractor's written notification to the Consultant.

6. DRAWINGS AND SPECIFICATIONS ON THE WORK

- a) The Contractor shall keep one copy of all Drawings, Specifications and approved shop drawing on the work, in good order, available to the Consultant and to his or her representatives.

7. OWNERSHIP OF DRAWINGS AND MODELS

- a) All drawings, specifications and copies thereof and all models furnished by the Consultant are property of the Owner. They are not to be used on other work and, with the exception of the signed contract set of the Drawings and Specifications, are to be returned to him or her on request on the completion of the work. Any models furnished by the Contractor or the Owner are the property of the Owner.

8. SAMPLES

- a) The Contractor shall furnish for the Consultant's approval such samples as he or she may reasonably require. The work shall be in accordance with approved samples.

9. MATERIAL TESTS AND MIX DESIGNS

- a) The Contractor shall furnish for the Consultant's approval such material tests and mix designs as he or she may reasonable require. The cost of providing the foregoing beyond the extent called for in the specification shall be charged to the Owner. The work shall be in accordance with approved material tests and mix designs.

10. CONSULTANT AND CONTRACTOR

- a) The Consultant is, in the first instance, the interpreter of the Contract and the judge of its performance; he or she shall use his or her powers under the Contract to enforce its faithful performance by both parties hereto. The Contractor shall, however, have complete control, subject to Article 12, of his or her organization. In case of the termination of the employment of the Consultant, the Owner shall appoint any Consultant whose status under the Contract shall be that of the former Consultant.

11. THE CONSULTANT'S DECISION

- a) The Consultant shall decide on questions arising under the Contract Documents, whether as to the performance of the work or the interpretation of the Specifications and drawings, but should the Contractor hold such decisions to be at variance with the Contract Documents or to involve changes in the work already built, fixed, ordered or in hand in excess of the contract, or to be given in error, he or she shall notify the Consultant before proceeding to carry them out.

In the event of the Consultant and the Contractor failing to agree as to such excess or error and the Consultant deciding to carry out such disputed work, the Contractor shall act according to such decision. Any question of excess of cost due to the aforesaid cause may be decided in the manner hereinafter provided in Article 43.

12. SUPERINTENDENCE

- a) The Contractor shall keep on the work, during its progress, a competent superintendent and any necessary assistants, all satisfactory to the Consultant. The superintendent shall not be changed except with the consent of the Consultant, unless the superintendent proves to be unsatisfactory to the Contractor or ceases to be in his or her employ. The superintendent shall represent the Contractor in his or her absence and directions on minor matters given to him or her shall be held to be given to the Contractor. Important directions shall be given in writing to the Contractor. The Contractor shall give efficient supervision to the work using his or her best skill and attention.

13. MATERIALS, APPLIANCES, EMPLOYEES

- a) Unless otherwise stipulated, the Contractor shall provide and pay for all materials, labour, water, tools, equipment, light and power necessary for the execution of the work. Unless otherwise specified all materials shall be new. Both workmanship and materials shall be of the quality specified. The Contractor shall not employ on the work any unfit person or anyone not skilled in the work assigned to him or her.

14. INSPECTION OF WORK

- a) The Owner, or the Consultant on his or her behalf, and their representatives shall at all times have access to the work wherever it is in preparation or progress and the Contractor shall provide proper facilities for such access and for inspection. If the specifications, the Consultant's instructions, the laws, or the ordinances of any public authority require any work to be specially tested or approved, the Contractor shall give the Consultant timely notice of its readiness for inspection, and if the inspection is by an authority other than the Consultant, of the date and time fixed for such inspection. Inspections by the Consultant shall be promptly made. If any such work should be covered up without approval or consent of the Consultant, it must, if required by the Consultant, be uncovered for examination and made good at the Contractor's expense. Re-examination of questioned work may be ordered by the Consultant. If such work be found in accordance with the Contract, the Owner shall pay the cost of re-examination and replacement. If such work be found not in accordance with the contract, through the fault of the Contractor, the Contractor shall pay such cost.

15. REJECTED WORK

- a) The Contractor shall promptly remove from the premises any defective work, whether the result of poor workmanship, use of defective materials, damage through carelessness or other act of the Contractor, which has been condemned by the Consultant as failing to conform to the Contract Documents, whether incorporated in the work or not. The Contractor shall promptly replace and re-execute his or her own work in accordance with the contract and without expense to the Owner and shall bear the expense of making good all work of other Contractors destroyed or damaged by such removal or replacement. If the Contractor does not remove such condemned material or work within the time fixed by written notice, the Owner may remove them and may store such materials at the expense of the Contractor. If the Contractor does not pay the expense of such removal within Five (5) days thereafter, the Owner may, upon Ten (10) day's written notice, sell such materials at auction or at private sale and shall account for the net proceeds thereof, after deducting all the costs and expenses that should have been borne by the Contractor.

16. DEDUCTIONS FOR UNCORRECTED WORK

- a) If, in the opinion of the Consultant, it is not expedient to correct defective work or work not done in accordance with the Contract Documents, the Owner may deduct from the contract price the difference in value between the work as done and that called for by the contract, the amount of which shall be determined in the final instance by the Consultant.

17. CORRECTION AFTER COMPLETION

- a) Subject to any special provisions in the Contract Documents, the Contractor shall remedy any defects due to faulty materials or workmanship appearing within a period of one year from the date of substantial completion of the work and shall pay for any damage to other work resulting therefrom which appears within such period and neither the final certificate nor payment thereunder shall relieve the Contractor from responsibility hereunder. The Owner shall give notice of observed defects promptly. Questions arising under this Article may be decided as provided in Article 43.

18. EMERGENCIES

- a) The Consultant has authority in an emergency to stop the progress of the work whenever, in his or her opinion, such stoppage may be necessary to ensure the safety of life, or of the structure, or neighbouring property. This includes authority to make such changes and to order, access and award the cost of such work extra to the Contract or otherwise as may in his or her opinion be necessary.

19. PROTECTION OF WORK AND PROPERTY

- a) The Contractor shall maintain continuously adequate protection of all his or her work from damage and shall take reasonable precautions to protect the Owner's property from all injury arising in connection with this Contract. He or she shall make good any damage or injury to his or her work and shall make good any damage or injury to the property of the Owner resulting from the lack of reasonable protective precautions. He or she shall not be responsible, however, for any damage or injury to his or her work and to the property of the Owner which may be directly due to errors in the Contract Documents or caused by the Owner, his or her agents, or employees, or from any work or risk which the Owner has agreed to insure, provided the Contractor has taken reasonable protective precautions. He or she shall adequately protect adjacent property as required by law and the Contract Documents.

20. CONTRACTORS' INSURANCE

a) INDEMNITY/HOLD HARMLESS

- .1 The Contractor shall be liable for all injuries to persons and for damage to property caused by his or her operations, and those of his or her sub-contractors, and his or her and their employees, engaged on all operations in connection with the contract both on and off the site, and he or she shall indemnify and save harmless the Owner from all suits, claims, expenses, costs, demands, losses, and damages to which the Owner may be put by reason of injury, including death, to persons, and damage to property of the Owner and others, resulting from; negligence, carelessness and any other cause whatsoever in the performance of the work.
- .2 The Contractor shall, until the date of issue of the final Certificate of Approval of the work by the Consultant, Indemnify and Save Harmless the Owner, and protect his or her own interests against:
 - (a) Theft, burglary or robbery of, and loss or damage to, all materials and equipment brought to the site for use in the work, whether or not such materials and equipment are incorporated in the work at the time that any such theft, burglary, robbery, loss or damage occurs.
 - (b) Theft or burglary of, and loss or damage to, any of his or her own plant and equipment being used on the Project and/or stored on the site.

b) BUILDERS RISK, ALL RISK PROPERTY INSURANCE

.1 The Contractor shall, without limiting its obligations or liabilities herein and at its own expense, provide and maintain the following insurances with Insurers and in forms and amounts acceptable to Government:

(a) The Contractor shall have Commercial General Liability coverage in an amount not less than Two Million (\$2,000,000.00) dollars inclusive per occurrence against bodily injury and property damage. **The Government of Prince Edward Island is to be added as an additional insured under this policy.** Such insurance shall include, but not be limited to:

- i) Blanket Written Contractual Liability;
- ii) Personal Injury Liability;
- iii) Non-owned Automobile Liability;
- iv) Cross Liability;
- v) Operation of Attached Machinery

Commercial General Liability insurance shall be endorsed to provide the Owner with thirty (30) day advance written notice of cancellation or material change and fifteen (15) days notice in the event of non-payment.

(b) Automotive liability coverage (Standard Automobile Policy) on all vehicles, the subject of this Agreement, owned, leased, operated or licensed in the name of the Contractor, in an amount not less than Two Million (\$2,000,000.00) dollars

(c) If the work involves new construction or reconstruction of a property being repaired or maintained, the Contractor shall provide and maintain All Risk Course of Construction (Builder's Risk) to the full value of the work in the amount of the Contract Price. The policy will permit partial or complete use or occupancy by the Owner during the term of this insurance.

All the foregoing insurance shall be primary and not require the sharing of any loss by any insurer of the Government nor by any other form of recovery available such as the Provincial Self Insurance and Risk management Fund.

.2 Proof of Insurance

A Certificate(s) of Insurance and any renewals thereof, shall be furnished to the Government prior to commencement of work by the Contractor and must be updated as required during the Term.

The policies required by this Agreement shall be in a form and with insurers satisfactory to the Government. Default of deliver or receipt by the government shall not be construed as acknowledgement or concurrence that there has been compliance with the terms of this Agreement.

.3 Indemnification

The Contractor shall indemnify and hold harmless the Government of Prince Edward Island, its agents, representatives and employees from and against all claims, demands, losses, costs, damages, actions, suits or proceedings of every nature and kind whatsoever arising out of or resulting from the performance of work (herein called the “claims”), provided that any such claim is caused in whole or in part of any act, error or omission, including but not limited to those of negligence of the Contractor, or anyone directly or indirectly employed by the Contractor anyone for whom the Contractor may be liable.

21. PERFORMANCE BOND

- a) The Owner shall have the right to require the Contractor to furnish a bond covering the faithful performance of the Contract – including the corrections after completion provided for in Article 17 – and the payment of all obligations arising under the contract, in such form as the Consultant may prescribe and with such sureties as he or she may approve. If such bond is required by written instructions given previous to the receipt of bids, the premium shall be paid by the Contractor, if subsequent thereto, it shall be paid by the Owner.

22. CASH ALLOWANCES

- a) The Contractor shall include in the contract sum all cash allowances mentioned in the Specifications, which allowances shall be expended in whole or in part as the Consultant shall direct and the amount of the contract sum being adjusted in conformity therewith. The Contract sum includes such sums for expenses and profit on account of such cash allowances as the Contractor requires except those allowances included for contingency purposes.

23. SUBSURFACE CONDITIONS

- a) In the event that during the execution of the work, subsurface conditions at the site are found to differ materially from those indicated in the Contract Documents and soil reports, or otherwise represented by the Owner or Consultant to the Contractor, then the Contractor shall promptly notify the Consultant in writing of such conditions, the Consultant shall promptly investigate such conditions and if he or she finds that they differ materially and will result in an increase or decrease in the cost of, or time required for performance of this Contract, an equitable adjustment shall be made between the parties and the contract modified in writing

accordingly. If the parties fail to agree upon the adjustment to be made, the dispute may be determined as provided for in Article 43.

24. CHANGES IN THE WORK

- a) The Owner or the Consultant, without invalidating the contract, may make changes by altering, adding to, or deducting from the work, the contracts sum being adjusted accordingly. All such work shall be executed under the conditions of the Contract except that any claim for extension or reduction of time caused thereby shall be adjusted at the time of ordering such change. Except as provided in Article 18, no change shall be made unless in pursuance of a written order from the Consultant and no claim for an addition to or deduction from the contract sum shall be valid unless so ordered and at the same time valued, or agreed to be valued, as provided in Article 25.

25. VALUATION OF CHANGES

- a) Change Orders calling for normal changes or additions to the work will be priced in detail giving actual material trade prices (not list prices) and actual labour costs (including Employment Insurance, Worker's Compensation, holiday pay) and actual equipment rental. To these prices the Contractor will add:
 - .1 For work less than \$2,500 involving the General Contractor only, the General Contractor adds 20% to his or her costs.
 - .2 For work over \$2,500 involving the General Contractor only, the General Contractor adds 15% to his or her costs.
 - .3 For work less than \$2,500 involving a Sub-Contractor only, the Sub-Contractor adds 20% to his or her costs, submits this price to the General Contractor who adds 10%.
 - .4 For work over \$2,500 involving a Sub-Contractor only, the Sub-Contractor adds 15% to his or her cost, submits this price to the General Contractor who adds 5%.
 - .5
 - (a) For work less than \$2,500 involving the General Contractor and Sub-Contractor, the Sub-Contractor adds 20% to his or her costs, submits his or her price to the General Contractor who adds 10%; to this amount the General Contractor adds the cost of his or her own work plus 20% of the cost of his or her own work only.
 - (b) The General Contractor does not add a further 10% to the cost of his or her own work.

.6

(a) For work over \$2,500 involving the General Contractor and a Sub-Contractor, the Sub-Contractor adds 15% to his or her cost, submits this price to the General Contractor who adds 5%; to this amount the General Contractor adds the cost of his or her own work plus 15% of the cost of his or her own work only.

(b) The General Contractor does not add a further 5% to the cost of his or her own work.

.7 Deletions to Contract: A mark-up shall **not** be charged nor credited on a credit portion of a Change Order.

.8 Supervision related to Change Orders shall be considered as included in the allowable mark-up and shall **not** be included in the labour charges for a Change Order.

26. APPLICATION FOR PAYMENTS

- a) The Contractor shall – before the first application for payment – submit to the Consultant a schedule of values of the various parts of the work aggregating to the total sum of the contract, divided so as to facilitate payments, made out in such form, and supported by such evidence as to its correctness as the Consultant may direct. This schedule, when approved by the Consultant, shall be used as a basis for applications of payment, unless it can be found to be in error.
- b) The Contractor, as per current Provincial regulation, shall include on all invoices the Harmonized Sales Tax as an additional line item. This amount would be in addition to the tender amount which does not include HST. See article 28 of this Section.

27. CERTIFICATES AND PAYMENTS

- a) Partial payments will be made monthly and within thirty (30) days after approval by the Owner and on the basis of a duly certified and approved estimate of work performed during the preceding period. In preparing estimates, the material delivered on the site and preparatory work done shall be taken into consideration.
- b) In making such partial payments, there shall be retained a hold back in the amount of fifteen percent (15%) of the estimated amount on each partial payment estimate, less any holdback release which may have been made to specific sub-contractors under any progressive release of holdback provisions in Provincial Legislation.
- c) All materials and work covered by partial payments made shall thereupon become the sole property of the Owner, but this shall not be construed as relieving the Contractor from the sole

responsibility for the safety and preservation of all materials and work upon which payments have been made and restoration of any damaged work or as a waiver of the right of the Owner to require the fulfillment of all the terms of the contract. Nor shall Consultant's Certification of Partial Payment for any work be construed as his or her final or irrevocable acceptance of that work.

- d) Document of Completion: Upon completion and acceptance of all work whatsoever required and the release of all claims against the Owner as specified, the Consultant shall file a written document with the Owner and with the Contractor as to the entire amount of work performed and compensation earned by the Contractor – including the extra work and compensation therefore.
- e) Final Payment: Within sixty (60) days after the filing of such document of completion and minimum one (1_ day after the lien period, and upon receipt from the General Contractor of declarations signed by each of his sub-contractors that the sub-contractor has been paid up to, and including the past previous partial payment, the Owner will pay the Contractor the amount stated therein less all deductions authorized by the terms of this contract and previous payments and advances whatsoever to or for the account of the Contractor. All previous estimates and payments, including those relating to extra work, shall be subject to correction at the time of this payment which is, throughout this contact, called Final Payment. Final Payment shall be subject to inspection and acceptance by the Owner or duly authorized representatives of the Owner and by representatives of all agencies having direct interest in the project.

Submittals to include:

- Certificate or letter of clearance from the Provincial Worker's Compensation Board
- f) With the second and all subsequent applications for payment, the Contractor shall include a statutory declaration form CCDC 9B, or other similar acceptable form to the Owner, declaring that all labour and materials entering into the work, including Sub-Contractors, covered by the previous application, have been paid. With application for release of lien holdback, the Contractor shall include a statutory declaration form CCDC 9A, or other similar form acceptable to the Owner.
 - g) With application for release of lien holdback, the Contractor shall include certificates issued by the Worker's Compensation Board, indicating that Worker's Compensation premiums in relation to the project have been paid in full.

28. TAXES

- a) Unless otherwise provided herein, the Contractor shall pay all government sales or excise taxes in force at the date of the Agreement, provided that any increase or decrease in such taxes shall increase or decrease the contract sum accordingly.

29. PERMITS, NOTICES, LAWS AND RULES

- a) The Contractor shall apply and pay for all necessary permits or licenses required for the execution of the work (but this shall not include the obtaining of the Building Permit or permanent easement or right of servitude). The Contractor shall give all necessary notices and pay all fees required by law and comply with all laws, ordinances, rules and regulations relating to the work and to the preservation of the public's health. The Contractor shall be responsible for the safety of all workmen and equipment on the project in accordance with all applicable safety legislation passed by federal, provincial and local authorities governing construction safety.

If the Contract Documents are at variance therewith, any resulting additional expense incurred by the Contractor shall constitute an addition to the contract price.

30. PATENT FEES

- a) The Contractor shall pay all royalties and license fees and shall save the Owner harmless from loss on account of suits or claims for infringement of patents in the doing of the work.

31. USE OF PREMISES

- a) The Contractor shall confine his or her apparatus, the storage of materials and the operations of his or her workmen to limits indicated by laws, ordinances, permits or by direction of the Consultant and shall not unreasonably encumber the premises with his or her materials. The Contractor shall not load – or permit to be loaded – any part of the work with a weight that will endanger its safety. The Contractor shall enforce the Consultant's instructions regarding signs, advertisements, fires and smoking.

32. CLEANING UP

- a) The Contractor shall at all times keep the premises free from accumulations of waste material or rubbish caused by his or her employees or work and, at the completion of the work, he or she shall remove all his or her rubbish and all tools, equipment and surplus materials from and about the work and shall leave the work "broom clean" or its equivalent, unless more exactly

specified. In case of dispute, the Owner may remove the rubbish and charge the cost as the Consultant shall determine to be just.

33. CUTTING, PATCHING AND DIGGING

- a) The Contractor shall do all cutting, fitting or patching of his or her work that may be required to make its several parts come together properly and fit it to receive or be received by work of Other Contractors shown upon, or reasonably implied by, the Contract Documents.

Any cost caused by ill-times work shall be borne by the party responsible therefore.

The Contractor shall not endanger any existing work by cutting, digging or otherwise and shall not cut or alter the work of any other Contractor save with the consent of the Consultant.

34. DELAYS

- a) If the Contractor is delayed in the completion of the work by any act or neglect of the Owner, Consultant or any Other Contractor or any employee of any one of them or by changes ordered in the work, then the time of completion shall be extended for such reasonable time as the Consultant may decide.
- b) If the Contractor is delayed in the performance of the Work by:
- .1 labor disputes, strikes, lock-outs (including lock-outs decreed or recommended for its members by a recognized contractors' association, of which the Contractor is a member or to which the Contractor is otherwise bound),
 - .2 fire, unusual delay by common carriers or unavoidable casualties,
 - .3 abnormally adverse weather conditions, or any cause beyond the Contractor's control other than one resulting from a default or breach of Contract by the Contractor the Contractor will make reasonable efforts to counter the circumstances giving rise to the delay or to otherwise remedy its inability to perform its obligations by utilizing all resources reasonably required in the circumstances, including obtaining supplies or services from other sources if the same are reasonably available (including seeking injunctive relief or other judicial, quasi-judicial or law enforcement remedy, provided that the Contractor will not be required to settle or resolve any labor disturbance, strike, lock-out, or work slowdown (collectively "Employment Matters") but excluding any Employment Matters involving persons retained, employed or hired by the Contractor to supply materials or services to meet the Contractor's obligations under this Contract; or

any Employment Matter caused by, or attributable to, any act (including any pricing or other practice or method of operation) or omission of the Contractor. Only after the Contractor has made such reasonable efforts the Contract Time shall be extended for such reasonable time as the Consultant may recommend in consultation with the Contractor. The extension of time shall not be less than the time lost as the result of the event causing the delay, unless the Contractor agrees to a shorter extension. The Contractor shall not be entitled to payment for costs incurred by such reasonable efforts or delays unless such reasonable efforts or delays were required as a result of actions by the Owner, Consultant or anyone employed or engaged by them directly or shall be necessary.

No such extension shall be made for delay unless written notice of claim is given to the Consultant within seven (7) days of its commencement provided, however, that in the case of a continuing cause of delay only one claim shall be necessary.

If no schedule is made under Article 3, no claim for delay shall be allowed on account of failure to furnish drawings until two (2) weeks after demand for such drawings and not then unless such claim be reasonable.

The Consultant shall not, except by written notice to the Contractor, or as provided in Article 18, stop or delay any part of the work pending decisions or proposed changes either by him or herself or by the Owner.

35. OWNER'S RIGHT TO DO WORK

- a) If the Contractor should neglect to execute the work properly or fail to perform any provision of this Contract, the Owner, after five (5) days written notice to the Contractor, may without prejudice to any other right or remedy he or she may have, make good such deficiencies and may deduct the cost thereof from the payment then or thereafter due the Contractor; provided however, that the Consultant shall approve both such actions and the amount charged to the Contractor.

36. OWNER'S RIGHT TO TERMINATE CONTRACT

- a) If the Contractor should be adjusted as bankrupt, or if he or she should make a general assignment for the benefit of his or her creditors, or if a receiver should be appointed on account of his or her insolvency or if he or she should – except in case of recited in Article 35 – refuse or fail to supply enough properly skilled workmen or proper materials after having received seven (7) days notice in writing from the Consultant to supply additional workmen or materials, or if he or she should fail to make prompt payment to Sub-Contractors or for material or labour, or persistently disregard laws, ordinances or the instruction of the

Consultant, or otherwise be guilty of a substantial violation of the provisions of the Contract, then the Owner, upon the certificate of the Consultant that sufficient cause exists to justify such action, may, without prejudice to any right or remedy he or she may have, by giving the Contractor written notice, terminate the employment of the Contractor and take possession of the premises and of all materials, tools and appliances thereon and finish the work by whatever method he or she may deem expedient, but without undue delay or expense. In such case, the Contractor shall not be entitled to receive the expense of finishing the work, including compensation to the Consultant for his or her additional services; such excess shall be paid to the Contractor. If such expense shall exceed such unpaid balance, the Contractor shall pay the difference to the Owner. The expense incurred by the Owner as herein provided, shall be certified by the Consultant.

37. CONTRACTOR'S RIGHT TO SUSPEND WORK OR TERMINATE CONTRACT

- a) If the work should be stopped under an order of any court or other public authority through no act or fault of the Contractor or of anyone employed by him or her, or if the Consultant fails to issue a certificate in accordance with Article 27, or if the Owner should fail to pay to the Contractor within seven (7) days of its maturing and presentation, any sum certified by the Consultant or awarded by arbitrators, then the Contractor may, upon five (5) days written notice to the Owner and the Consultant, stop work and/or terminate this Contract without prejudice to any other right or remedy he or she may have and recover from the Owner payment for all work executed and any loss sustained upon the plant or material with reasonable profit and damages.

38. DAMAGES AND MUTUAL RESPONSIBILITY

- a) If either party to this Contract should suffer damage in any manner because of any wrongful act or neglect of the other party or of anyone employed by him or her then he or she shall be reimbursed by the other party for such damage. Claims under this paragraph shall be made in writing to the party liable within a reasonable time after the first observance of such damage and not later than the time of final certificate, except as expressly stipulated otherwise in the case of faulty work or materials, and may be adjusted by agreement or in the manner set out in Article 43 and the party reimbursing the other party as aforesaid shall thereupon be subrogated to the rights of the other party in respect of such wrongful act or neglect if it be that of a third party. Should the Contractor cause damage to any other Contractor on the work the Contractor agrees – upon due notice – to settle with such other Contractor by agreement or arbitration, if he or she will so settle. If such other Contractor sues the Owner on account of any damage alleged to have been so sustained, the Owner shall notify the Contractor who shall defend such proceedings at the Owner's expense and if any final order or judgment against the Owner arises therefrom the Contractor shall pay or satisfy it and pay all costs incurred by the Owner provided that if the Contractor becomes liable to pay or satisfy any final order or judgment

against the Owner, then the Contractor shall have the right upon undertaking to indemnify the Owner against any and all liability for suits to appeal, in the name of the Owner, such final order or judgment to any and all courts or competent jurisdiction.

39. SEPARATE CONTRACTS WITH OTHER CONTRACTORS

- a) The Owner reserves the right to let separate contracts in connection with the undertaking of which the work is a part and the Contractor shall connect properly and coordinate this work with that of other Contractors. If any part of the Contractor's work depends – for its proper execution or results – upon the work of any other Contractor, the Contractor shall inspect the work prior to proceeding with his or her work as required by the Contract. Should the Contractor fail so to inspect and report, he or she shall have no claim against the Owner by reason of the defective or unfinished work of any other Contractor except as to latent defects not reasonably noticeable at the time of the commencement of the Contractor's work. In letting separate contracts, the Owner shall be responsible for the coordination of fire and other insurance coverages and shall take all precautions reasonable possible to avoid possible occurrence of a labour dispute or disputes on the work.

40. ASSIGNMENT

- a) Neither party to the Contract shall assign the Contract without the written consent of the other.

41. SUB-CONTRACTS

- a) The Contractor agrees that the list of names of sub-contractors supplied prior to the signing of the Contract is the list of Sub-Contractors proposed to be used to carry out those parts of the work noted thereon and he or she shall not employ any to whom the Consultant may reasonably object.

If the change of any name on such list is required by the Consultant and the work has to be awarded to a higher bidder, the contract price shall be increased by the difference between the two bids.

The Consultant shall, on request, furnish to any Sub-Contractor wherever practicable, evidence of the amounts certified to on his or her account.

The Contractor shall be held as fully responsible to the Owner for the acts and omissions of his or her sub-contractors and of persons directly or indirectly employed by them, as for the acts and omissions of persons directly employed by him or her. In view of this responsibility, the Contractor shall not be obliged to employ as a sub-contractor or supplier any person or firm to whom he or she may reasonably object.

42. RELATIONS OF CONTRACTOR AND SUB-CONTRACTOR

- a) The Contractor agrees to bind every sub-contractor by the terms of the Contract Documents, as far as applicable to his or her work.

43. ARBITRATION

- a) In the case of any dispute arising between the Owner (or the Consultant acting on his or her behalf) and the Contractor as to their respective rights and obligations under the Contract, either party hereto shall be entitled to give to the other notice of such dispute and to request arbitration thereof; and the parties may, with respect to the particular matters then in dispute, agree to submit the same to arbitration in accordance with the applicable law of the place of building.

Arbitration proceedings shall not take place until after the completion or alleged completion of the work except (a) on a question of certificate for payment, or (b) in a case where either party can show that the matter in dispute is of such nature as to require immediate consideration while evidence is available.

44. OWNER SIGNING AUTHORITY

- a) Mr. Adam Clark, P. Eng. is designated as the Director for the purposes of this agreement, the Director shall represent Government in all matters pertaining to the construction project being provided pursuant to this agreement, and will administer said agreement, and shall complete necessary approvals of all plans and specifications provided for under this agreement on behalf of Government, provided however, that the Director shall not be authorized to amend the terms of the Agreement.

Government may replace the Director by providing written notice, in accordance with the notice requirements of this Agreement.

45. CONFLICT OF INTEREST

- a) The Contractor warrants that as at the date of this Agreement, no conflict of interest, or any circumstance that might interfere with independent and objective exercise of judgment, exists or is likely to arise in relation to execution of this Agreement or its subject matter. The Contractor shall immediately notify Government, in writing, if any such actual or potential conflict of interest should arise at any time during the Term. In the event Government discovers or is notified by the Contractor of an actual or potential conflict of interest, Government, in its sole discretion, may either:

- i) allow the Contractor to resolve the actual or potential conflict to the satisfaction of Government; or
- ii) terminate the Agreement in accordance with the Termination section of this Agreement.

END

PROJECT:

1. GENERAL

- a) The undersigned tenderer (hereinafter called the “Contractor”) hereby offers to the Minister of Transportation, Infrastructure and Energy (hereinafter called the “Owner”) to furnish all necessary tools, plant, services, materials and labour to execute and complete in a careful and workmanlike manner the work set out under the **Project # 375-25198** herein, which is more particularly described in the Plans and Specifications titled **Montague Intermediate School – Bus Drop-Off Driveway Addition** and dated **July 2026** for the lump sum as set out in Clause 3.

The Contractor agrees:

- .1 To complete the work by the date indicated on the Instructions to Bidders.
- .2 That this Form of Agreement supersedes and cancels all communication, negotiations and agreements relating to the work other than contained in the completed tender.
- .3 To use all suppliers and sub-contractors indicated on his or her tender unless prior approval is received from the Engineer to make a change.

2. ADDENDA

- a) The following addenda are included in this contract:

3. CONTRACT PRICE

- a) The Contract Price (*the lump sum referred to in Clause 1:*) which excludes value added taxes is:

- b) Value added (HST)(of _____%) payable by the Owner to the Contractor are:

- c) Total amount payable by the Owner to the Contractor for the construction of the work is:

4. CORRESPONDENCE

- a) The Owner, Consultant, and Contractor may be contacted in writing at the addresses below:

Owner & Consultant

PEI Department of Transportation, Infrastructure and Energy
PO Box 2000
Charlottetown, PE
C1A 7N8

Contractor

5. CONTRACTOR'S ACCEPTANCE

- a) Accepted and executed on behalf of the Contractor this ____ day of _____, 20____,
in the presence of _____.

Witness

Signature & Corporate Seal

6. OWNER'S ACCEPTANCE

- a) Accepted and executed on behalf of the Owner this ____ day of _____, 20____, in
the presence of _____.

Witness

Signature & Seal

END

1. GENERAL

1.1. TENDER

.1 SUBMITTED BY:

(Name) _____
(Address) _____
(Contact) _____
(Phone) _____ (Fax) _____
(Date) _____

FOR: Montague Intermediate School – Bus Drop-Off Driveway Addition
221 Kennedy Street, Montague, PE C0A 1R0
Kings County, PE

TO: Minister of Transportation, Infrastructure and Energy
11 Kent Street
PO Box 2000
Charlottetown, PE
C1A 7N8

HAVING examined the drawings and specifications for this project as well as any addenda issued, we hereby offer to furnish all materials, plant and labour necessary for the full and proper completion of:

“375-25198 Montague Intermediate School – Bus Drop-Off Driveway Addition”

INCLUDING all prime cost allowances, or other taxes in force at this date and **excluding HST**; but not including any additional or deductible allowance or taxes which may be applicable subsequent to this date, and which shall be payable by or to the Owner, in accordance with the above mentioned documents, for the sum of:

_____ Dollars (\$_____)
in lawful money of Canada.

In submitting this tender we recognize the necessity to complete the information requested on any appendices, as well as the right of the Owner to accept any tender at the price submitted or to reject all tenders, it being understood, and this tender is submitted on the condition that revised tenders will not be called for if minor changes are contemplated.

In the event of this tender being accepted within thirty (30) days of the time stated for the closing of tenders, and our failing or declining to enter into a contract, then our bid deposit shall be forfeited to the Owner in lieu of any damages which he or she may suffer by reason of our failure or refusal to enter into such contract.

In the event of our tender not being accepted within thirty (30) days of the time stated for the closing of tenders, the bid deposit will be returned to us forthwith unless a satisfactory arrangement is made with us covering its retention for a further stated period.

1.2. ACKNOWLEDGEMENT OF RECEIPT OF ADDENDA

.1 Addendum # _____ Issued _____ Initial _____
Addendum # _____ Issued _____ Initial _____
Addendum # _____ Issued _____ Initial _____
Addendum # _____ Issued _____ Initial _____
Addendum # _____ Issued _____ Initial _____

1.3. SUB-CONTRACTORS AND SUPPLIERS

.1 Our tender includes the following sub-contractors and suppliers, (own forces may be used, asper Section B item 12). The following work will be performed (or provided) by following Sub-contractors and supplies coordinated by us in our role as General Contractor.

Site Work	_____
Landscaping	_____
Concrete	_____
Asphalt Paving	_____

1.4. ACCEPTANCE OF AGREEMENT

- .1 If we are notified of the acceptance of this tender within the above specified time we will:
- .1 Enter into a formal contract agreement with the Owners.
 - .2 Furnish a general analysis of the contract sum, the total aggregating the amount of our tender.
 - .3 Provide a Construction Schedule and complete the entire work on or before the dates stated.

1.5. LABOUR RATES

- .1 Prior to signing the Contract related to this Bid, the successful Bidder will provide the Owner with labor rates covering labor provided by the Bidder and major Subcontractors, for extra work carried out in relation to Change Order and Change Directive work. These labor rates are to be substantiated by actual labor costs and wage levies; the labor rates must be reasonable, in comparison to local industry standards, and acceptable to the Owner.

1.6. CONTRACTOR'S SIGNATURE

The undersigned bidder declares that this tender is made without connection with any other person or persons submitting tenders for the same work, and is in all respect, fair & without collusion or fraud.

- .1 Signed, sealed and submitted for and on behalf of:

Submitted by (Company Name)

Authorized Name and Title (Print)

Authorized Signature

Date

END

1. REFERENCES

- a) Canada Labour Code, Part 2, Canada Occupational Safety and Health Regulations.
- b) Health Canada/Workplace Hazardous Materials Information System (WHMIS).
 - .1 Material Safety Data Sheets (MSDS).
- c) Province of Prince Edward Island
 - .1 Occupational Health and Safety Act, R.S.P.E.I.1988 (including any amendments to and regulations)
- d) CSA C22.1-18 – Canadian Electrical Code, Part 1, Safety Standard for Electrical Installations.
- e) CSA C22.3 No. 7-94 (R2005) - Underground Systems
- f) COSH, Canada Occupational Health and Safety Regulations (SOR/86-304)
- g) Fire Protection Standards issued by Fire Protection Services of Human Resources Development Canada as follows:
 - .1 FCC No. 301 – June 1982 Standard for Construction Operations. (or latest edition)
 - .2 FCC No. 302 – June 1982 Standard for Welding and Cutting. (or latest edition)

2. COMPLIANCE REQUIREMENTS

- a) Comply with Occupational Health and Safety Act, Occupational Health and Safety Act Regulations PEI (including any amendments to and regulations).
- b) Comply with Canada Labour Code, Canada Occupational Safety and Health Regulations.
- c) Perform lockouts in compliance with:
 - .1 Canadian Electrical Code
 - .2 Federal and Provincial Occupational Health and Safety Acts and Regulations.
 - .3 Regulations and code of practice as applicable to mechanical equipment or other machinery being de-energized.

Section G – Safety Requirements

- d) In event of conflict between any provisions of above Authorities, the most stringent provision will apply. Should a dispute arise in determining the most stringent requirement, the Consultant will advise on the course of action to be followed.

3. CONSTRUCTION SAFETY MEASURES

- a) Observe and enforce construction safety measures required by latest National Building Code, Part 8, Provincial Government, Worker's Compensation Board and municipal statutes and authorities.
- b) Provide and maintain first aid equipment appropriate to the work and its location in accordance with the First Aid Regulations. Implement recommendations from Occupational Health and Safety Division specific to the project work site.

4. HEALTH AND SAFETY COORDINATOR

- a) Employ and assign to work, competent and authorized representative as Health and Safety Coordinator. Health and Safety Coordinator must:
 - .1 Have minimum 2 years site-related working experience specific to activities associated with Construction.
 - .2 Having working knowledge of occupational health and safety regulations.
 - .3 Be responsible for completing Contractor's Health and Safety Training Sessions and ensuring that personnel not successfully completing required training are not permitted to enter site to perform work.
 - .4 Be responsible for implementing, enforcing daily and monitoring site-specific Contractor's Health and Safety Plan.

5. SAFETY ASSESSMENT

- a) Perform site specific hazard assessment related to project.
- b) Perform on-going hazard assessments during the progress of Work identifying new or potential health risks and safety hazards not previously known. As a minimum, hazard assessments shall be carried out when:

Section G – Safety Requirements

- .1 New subtrade work, new subcontractor(s) or new workers arrive at the site to commence another portion of work.
 - .2 The scope of work has been changed by Change Order.
 - .3 Potential hazard or weakness in current health and safety practices are identified by Consultant or by an authorized safety representative.
- c) Each hazard assessment to be made in writing. Keep copies of all assessments on site for duration of Work. Upon request, make available to Consultant for inspection.

6. SUBMITTALS

- a) Upon request, submit within seven (7) days to the Consultant, one copy electronically and one hard copy of the site-specific Health and Safety Plan.
- b) Upon request, submit within seven (7) days to the Consultant, one copy electronically and one hard copy of the Contractor's authorized representative's worksite health and safety inspection reports.
- c) Upon request, submit within seven (7) days to the Consultant, one copy electronically and one hard copy of the construction safety toolbox meetings and formal contractor safety meetings.
- d) In the event of an incident/accident, immediately submit to the Consultant one copy electronically and one hard copy of the incident/accident report.

7. SITE CONTROL AND ACCESS

- a) Control worksite and entry points. Grant and allow entry to only workers and other persons so authorized. Immediately stop non-authorized persons from circulating within construction areas and remove from site.
- b) Prior to gaining access to the site, all contractors, subcontractors and suppliers shall file with the General Contractor their proof of Workers Compensation coverage, proof of required Insurance and proof of contract. Upon request, proof of these documents will be provided to the Owner and Consultant.
- c) Delineate and isolate construction areas from other areas of site by use of appropriate means. Erect barricades, fences, hoarding and temporary lighting as required.

- d) Erect signage at entry points and at other strategic locations around site, clearly identifying construction areas(s) as being “off limits” to non-authorized persons. Signage must be professionally made.
- e) Ensure persons granted access is fitted and wear appropriate personal protective equipment (PPE).

8. PROTECTION

- a) Provide temporary facilities for protection and safe passage of building occupants, public pedestrian and vehicular traffic around and adjacent to work site.
- b) Provide safety barricades, lights and signage within work site as required to provide a safe working environment for workers.

9. MEETINGS

- a) Prior to commencement of work hold a Health and Safety meeting. Have Contractor’s Site Superintendent in attendance.
- b) Provide site safety orientation session to all workers and all workers new to the site and other authorized persons prior to granting them access to work site. Brief persons on site conditions and on the site safety rules in force at site.
- c) Conduct site specific occupational health and safety meetings during the entire work as follows and submit minutes as requested.
 - .1 Formal meetings on a minimum monthly basis.
 - .2 Informal toolbox meetings on a regular basis from a predetermined schedule.
- d) Attend Health and Safety meetings as directed by the Contractor.

10. HAZARDOUS MATERIALS

- a) Should material resembling hazardous materials (other than those identified within the Contract Documents) be encountered in the course of work, stop work immediately. Do not proceed until written instructions have been received from the Consultant.
- b) Any material which contains asbestos, lead paint or PCB’s that is disturbed or removed during construction work shall be removed in accordance with the regulations set out by the

Occupational Health and Safety Act.

11. WHIMIS

- a) Comply with requirements of Workplace Hazardous Materials Information System (WHMIS) Regulations regarding use, handling, storage, and disposal of hazardous materials; and regarding labeling and provision of Safety Data Sheets.
- b) Have a copy of WHMIS Safety Data Sheets available at the workplace on delivery of hazardous products.

12. SITE CLEANING

- a) Except where special permission is obtained, maintain clean access on public sidewalks and roads.
- b) Maintain walks and roads clear of construction materials and debris, including excavated material. Clean walks and roads as frequently as required to ensure that they are cleared of materials, debris and excavated material.
- c) Remove snow and ice from areas as required to execute the work.

13. FIRE SAFETY REQUIREMENTS

- a) Comply with requirements of latest standard for Building Construction Operations issued by the Fire Commissioner of Canada and Fire Safety Regulations of Local Authority. (latest editions)
- b) Implement and follow fire safety measures during Work. Comply with following:
 - .1 National Fire Code, (latest edition)
 - .2 Fire Protection Standards FCC 301 and FCC 302, (latest edition).
 - .3 Federal and Provincial Occupational Health and Safety Acts and Regulations.
- c) In event of conflict between any provisions of above authorities the most stringent provision will apply. Should a dispute arise in determining the most stringent requirements, Consultant will advise on the course of action.
- d) Hot Work will not be permitted on or within the facility except as outlined herein. Prior to conducting hot work, a hot work permit (see attached Appendix B) shall be prepared and

submitted. A new permit shall be obtained at the start of each work shift during which hot work will be conducted.

14. EMERGENCY MANAGEMENT PLAN

- a) Must include response for medical and fire emergencies.
- b) Know the location of the nearest fire alarm box and telephone (if no cell phone available), including the emergency phone number.
- c) Know where the “Civic Address” of worksite is posted to report to emergency personnel.
- d) Report immediately all fire incidents to the fire department as follows:
 - .1 Activate nearest fire alarm box
 - .2 Telephone 911
 - .3 Where fire alarm box is exterior to building, the person activating the fire alarm box shall remain at the box to direct Fire Department to scene of the fire.
 - .4 When reporting a fire by telephone, give location of fire, name or number of building and be prepared to verify the location.
- e) Notify the Owner of any emergency.

15. POSTING OF DOCUMENTS

- a) Ensure applicable items, articles, notices and orders are posted on site in accordance with Acts and Regulations of Province having jurisdiction, and in consultation with Consultant.

16. CORRECTION OF NON-COMPLIANCE

- a) Immediately address health and safety non-compliance issues identified by Authority having Jurisdiction or by Consultant.
- b) Provide Consultant with written report of action taken to correct non-compliance of health and safety issues identified.

17. OPEN EXCAVATIONS

- a) If open foundations or demolition areas are to be left at the end of a workday, a protective barrier must be placed around the entire perimeter of the open excavation or demolition areas to limit access by others. Barrier to be approved by the requirements established in the OH&S Regulations.

END

1. GENERAL

- a) The General Contractor is to provide each item and properly execute all work as specified herein, indicated by drawings, specifications, addenda, or change orders issued with respect to this Project.
- b) The General Contractor shall co-ordinate, administer and supervise all work and material acquisition unless noted otherwise in either the Specifications or Drawings. Faulty work by any Section which could have been avoided by proper co-ordination and/or supervision by the General Contractor will not be accepted.
- c) Unless specified otherwise, the provisions of this Section shall apply to all Sections of the specifications.
- d) Study all Contract documents to determine additional work required by your section on which the work of other sections depends.
- e) Establish rates of wages and conditions of work in accordance with the Industrial standards Act of the Province of Prince Edward Island. Wherever possible give preference to local labour.
- f) Workmanship shall be of highest quality in accordance with best standard practice for this type of work, except where specified more precisely.

2. SPECIFICATION FORMAT

- a) These specifications are not intended as a detailed description of installation methods but serve to indicate particular requirements in the completed work.
- b) Conform to the latest edition of the National Building Code, together with all its related supplements, hereinafter referred to as the “Code” or “code”. Where Drawings and Specifications exceed code requirements provide such additional requirements.
- c) Where a material is designated on Drawings or in the Specifications for a certain application, unless otherwise specified, that material shall conform to standards designated in the latest edition of the National Building Code and any other Code, Act or Bylaw of Provincial or Local Application provided that in the case of conflict or discrepancy the more stringent requirement shall apply. Similarly, unless otherwise specified, installation methods and standards of workmanship shall also conform to standards invoked by the aforementioned code. Where no particular material is specified for a certain use, the bidder shall select from the choice offered in the code in each case.

Section 1A – General Instructions

- d) References to codes, and standards, including manufacturer's direction for installation shall be the latest edition thereof.
- e) Provide a copy of all certificates of acceptance issued by Provincial or Local authorities.
- f) Parts of the specification are written in short form, therefore it is understood that where a component of the work is stated in a heading followed by a material or operation, the words "Shall be", "Shall consist of" or similar words or phrases are implied which denote complete supply and installation of such materials of operations for the component of work designated by the heading.
- g) Where the aforementioned Code or this specification does not provide all information necessary for complete installation of any item, then the manufacturer's instructions for first quality workmanship shall be strictly complied with.
- h) Where words in the Contract Documents occur in the singular number, they shall be taken as plural where applicable in accordance with the quantities required to satisfy the requirements of the Contract.

3. STANDARDS AND DEFINITIONS

- a) Where a reference is made to specification standards produced by various organizations, conform to latest edition of standards, as amended and revised to date of Contract.
- b) Have a copy of each specified standard which relates to your work available on the Site to be produced immediately on the Consultant's request.

4. CO-OPERATION

- a) Co-operate with and co-ordinate with other trades as required for the satisfactory and expeditious completion of the work. Take field dimensions relative to this work. Fabricate and erect work to suit field dimensions and field conditions. Provide all forms, templates, anchors, sleeves, inserts and accessories required to be fixed to or inserted in the work and set in place or instruct the related trades as to their location. Pay the cost of extra work caused by and make up time lost as the result of failure to provide the necessary co-operation, information or items to be fixed to or built in, in adequate time.
- b) This Section shall provide other Sections with and be responsible for levels and dimensions which other sections require for establishing proper locations for their work.

5. MATERIAL STORAGE AND HANDLING

- a) Store packaged materials in original, undamaged condition with manufacturers' labels and seals intact. Handle and store materials in accordance with manufacturers' and suppliers' recommendations and in a manner to prevent damage to materials during storage and handling.

6. SITE VISIT

- a) All bidders submitting tenders for this work shall first examine the site and all conditions therein. All tenders shall take into consideration all such conditions as may affect the work under this contract, no claims for extras resulting from conditions existing at the time of tender will be accepted by the Owner.

7. EXAMINATION

- a) All trades shall examine the existing conditions upon which their work depends. Report to the General Contractor with a copy to the Consultant in writing defects in such work. The application of their work or any part of it shall be deemed acceptance of the work upon which their work or that part of it which has been applied depends.
- b) Drawings are, in part, diagrammatic and are intended to convey scope of work and indicate general and approximate location, arrangement and sizes of building components.

8. CONSTRUCTION SAFETY

- a) Observe construction safety measures of the latest edition of the National Building Code Part 8, Provincial Government Workers/Workers Compensation Board and municipal authority provided in any case of conflict or discrepancy more stringent requirements shall apply.
- b) Comply with requirements of FCC no. 301.
- c) Ensure no part of Work is subjected to loading that will endanger its safety or will cause permanent deformation.
- d) Design and construct falsework in accordance with CSA S269.2.
- e) Operate such equipment only by qualified hoist or crane operators, and maintain current inspection certificate.
- f) Design and construct scaffolding in accordance with CSA S269.2.

Section 1A – General Instructions

- g) Comply with the requirements of the Fall Protection & Scaffolding Regulations, Province of Prince Edward Island.
- h) Each user of equipment or tools shall be appropriately trained and be responsible to examine for sufficiency before use. Make equipment and tools safe if necessary, or notify the Contractor in writing that user will not commence work with such tools until it is made safe.
- i) Comply with the requirements of Workplace Hazardous Materials Information System (WHMIS) regarding use, handling, storage, and disposal of hazardous materials; and comply regarding labeling and provision of material safety data sheets.

.1 Have a copy of WHMIS data sheets available at the workplace on delivery of materials.

9. PROTECTION

- a) Take reasonable and required measures, including those required by authorities having jurisdiction to protect the public and those employed on work from body harm and to protect adjacent public and private property from damage. Make full restitution for such harm and damage resulting from failure to take adequate protective measures. Make good damage to work from whatever cause.
- b) Take all necessary precautions to guard site, premises, materials and the public at time other than when supervised work is in progress.
- c) Provide and maintain in working order, suitable Underwriters' labeled fire extinguishers and locate in prominent position to approval of authorities having jurisdiction.
- d) Provide all signs, ramps, barricades, and hoarding and protective measures necessary to the safe execution of the work and protection of the public.
- e) Protect, relocate and maintain existing, active services wherever they are encountered. Wherever inactive services are encountered, cap them off and remove the unwanted portion, with the approval of the authorities having jurisdiction or the public utility concerned, in the manner approved by them.
- f) All trades shall protect previously installed work while carrying out their own work.
- g) Damaged work shall be made good by appropriate trades but at the expense of those causing damage.

- h) Attach and fasten fixtures and fittings in place, in a safe, sturdy, secure manner so that they cannot work loose or fall or shift out of position during the occupancy of building as a result of vibration or other causes in normal use.
- i) Protect existing buildings, landscaping, curbs, roads and lanes and utilities. If, during work, any buildings, landscaping, curbs, roads and lanes are damaged, repair or replace them at no extra expense to the Owner.
- j) Provide safety helmets for Consultants, Owner's representatives and any other authorized visitors to site if required.

10. FASTENINGS

- a) Supply all fastenings, anchors and accessories and adhesives required for fabrication and erection of the work.
- b) Exposed metal fastenings and accessories shall be of same texture, colour and finish as base metal on which they occur.
- c) Exterior anchors for windows and roofing sheet metal and anchors occurring on or in an exterior wall shall be noncorrosive or hot dip galvanized steel.
- d) Anchoring and fastening devices or adhesive shall be of appropriate type and shall be used in sufficient quantity in such a manner as to provide positive permanent anchorage of the unit to be anchored in position. Install anchors at spacing to provide for required load carrying capacity.
- e) Keep exposed fastenings to a minimum, evenly spaced and neatly laid out.
- f) Supply adequate instructions and templates and, if necessary, supervise installation where fastenings or accessories are required to be built into work of other trades.
- g) Fastenings shall be of permanent type. Wood plugs are not permitted.
- h) Fastenings which cause spalling or cracking of material to which anchorage is being made are not permitted.
- i) Do not use powder actuated fastening devices, which are stressed in withdrawal on any part of this work without written approval from the Consultant. Take particular stringent safety precautions when using powder actuated fastenings. Only low velocity plunger-type are permitted.

11. CUTTING, FITTING, AND PATCHING

- a) All cutting and patching shall be the responsibility of the General Contractor.
- b) All excavation backfilling and concrete work required to complete the work of Section 15 and or Section 16 shall be the responsibility of the General Contractor.
- c) Where new work connects with existing and where existing work is altered, cut and patch and make good to match existing work.
- d) Make cuts with clean, true, smooth edges. Make patches inconspicuous in final assembly.

12. EXISTING SERVICES

- a) Where work involves breaking into or connecting to existing services, submit work schedule sufficiently in advance to allow coordination of possible interruption with the Owner. Confirm each interruption 24 hours immediately prior to scheduled date of implementation.

13. ENVIRONMENTAL PROTECTION

- a) Ensure that pollution and environmental control of construction activities are exercised during the work to requirements of the federal and provincial environmental acts; including, but not limited to, the Prince Edward Island Environmental Protection Act.

14. HAZARDOUS MATERIAL

- a) Should material resembling hazardous materials (other than those identified within the Contract Documents), including, but not limited to spray or trowel applied asbestos, be encountered in course of work; stop work immediately. Do not proceed until written instructions have been received from Consultant.
- b) Any material which contains asbestos that is disturbed or removed during construction work (see Asbestos Content Report (where applicable)), shall be removed in accordance with the regulations set out by the Occupational Health & Safety Act. All costs for proper cutting, removal and disposal of all asbestos on this contract shall be included in Tender. Refer also to Section 2C (as applicable).
- c) Where work entails use, storage, or disposal of toxic or hazardous materials, chemicals and or explosives, or otherwise creates a hazard to life, safety, health, or the environment; work shall be in accordance with the Jurisdictional Authority.

15. CLEANING

- a) All rubbish and construction debris must be removed from the entire site on a regular basis, so that the site is maintained in a clean, safe condition. Materials removed are to be disposed of in a manner acceptable to the Provincial Department of Communities, Land & Environment.
- b) Vacuum clean all areas prior to painting and close all areas after completion of painting to restrict access to authorized persons.
- c) On completion of work, by other trades, mop clean all resilient flooring strip using wet method to remove all layers of new or existing finish. Reseal with one coat sealer and two coats wax (wax to contain a minimum of 22% solids). Vacuum clean all carpets. All cleaning to be carried out by competent cleaners.
- d) Dust and clean all surfaces including glass (interior and exterior), doors and hardware.
- e) Arrange and pay for replacement of heating, ventilation and air conditioning filters if operated during construction.

16. FIRES

- a) Do not light fires of any sort to burn rubbish resulting from the work.

17. ACCESS TO SITE

- a) Access to site shall be directed by the Consultant.

18. SITE LIMITS

- a) The limits of the site are shown on the drawings and all activity relating to the contract shall be confined within these limits.

19. MAINTENANCE MANUALS

Prior to the issuance of the final certificate the following items shall be assembled and incorporated into a three ring binder complete with table of contents:

- a) All warranties and guarantees submitted by manufacturers.
- b) The printed or typewritten copies of recommended maintenance procedures for all items requiring regular maintenance.

- c) A copy of all approved Shop Drawings.

20. PERMITS

- a) Obtain and pay for all required permits, licenses, and inspections; required by applicable laws and regulations. Except the building permit which will be paid for by the Owner.

21. TOBACCO PRODUCT USAGE BAN

The use of Tobacco products is not permitted within the building or property.

- a) Property – Includes all lands and buildings under the control of the Government of PEI.
- b) Tobacco Products – Includes cigarettes, e-cigarettes, cigars, pipes, chewing tobacco, snuff, and any other products containing or reasonably resembling tobacco or tobacco products except approved cessation products used in approved cessation programs.
- c) Tobacco Usage Ban – Includes smoking, vaping, chewing, dipping or any other form of use of tobacco products.

END

1. TEMPORARY TOILET

- a) This section shall erect and maintain in a sanitary condition a temporary toilet for the use of persons engaged in the work until a toilet is installed in the building, at which time it shall be removed.

2. TEMPORARY SERVICES

- a) This section shall supply and maintain temporary light, power and water required during construction on the site. These services may be connected at the Contractor's expense, to the existing building services.

3. STORAGE SHEDS

- a) Storage sheds, as required shall be erected in locations approved by the Consultant. Sheds shall be weather-tight to the extent necessary to protect the stored materials.

4. TEMPORARY HEAT

- a) Provide all necessary equipment material and personnel to keep that work which requires protection from cold adequately warm and sheltered from elements and to allow it to be done safely and well. Provide minimum required temperatures and do everything necessary to proceed without delay at all times of year. The permanent heating system may be used for temporary heating only when the building is closed in, and the permanent radiation installed.
- b) Particular attention is drawn to the requirement that the Contractor shall commence work immediately the Contract is awarded, and shall continue full scale until completion of the project.
- c) The total Tender Price is to include sufficient funds for the provision of all necessary measures to enable all trades to proceed without delay regardless of weather.
- d) The Contractor will be responsible for all heating and fuel costs, in the existing building, from the date renovations start until substantial completion.

END

1. GENERAL

- a) This section shall install and maintain the items required to prevent environmental damage.
- b) Ensure that pollution and environmental control of construction activities are exercised during the Work to requirements of the federal and provincial environmental acts; including, but not limited to, the Prince Edward Island Environmental Protections Act.

2. DISPOSAL OF WASTE

- a) Do not bury rubbish or waste material on site.
- b) Provide containers or otherwise prevent material from being wind-blown around the site and onto adjoining properties.
- c) Do not dispose of waste or volatile materials, such as mineral spirits, oil or paint thinner into waterways, storm or sanitary sewers.
- d) All rubbish and construction debris must be removed from all the site on a regular basis, so that the site is maintained in a clean, safe condition. Materials removed are to be disposed of in a manner acceptable to the Provincial Department of Environment, Labour & Justice.

3. DRAINAGE

- a) Provide temporary drainage and pumping as necessary to keep excavations and site free from water.
- b) Do not pump water containing suspended materials into waterways, sewer or drainage systems.
- c) Control disposal of runoff of water containing suspended materials or other harmful substances in accordance with local Authorities.

END

1. GENERAL

- a) This section shall include all work necessary to clear the site, strip topsoil and provide site access.

2. SITE CLEARANCE

- a) Remove from the site all asphalt pavement, concrete, boulders, debris, trees or bushes including the roots that are within the area identified on the plan unless it is indicated that they are to remain.

3. STRIP TOPSOIL

- a) Rototill grass and topsoil to a depth of 150mm, strip and stockpile in an area that will not interfere with the work. Do not handle topsoil in a wet or frozen condition.

4. GRADING

- a) After the topsoil has been removed, excavate to depths that allow for proper drainage and depth of concrete sidewalk installation.
- b) Then, rough grade to the levels, profiles, and contours with approved fill, for the surface treatment as indicated.

5. ASPHALT/CONCRETE REMOVAL

- a) Cut full depth of asphalt or concrete, along straight lines, at locations required to allow removal for excavation. Cutting to be performed by a rotating blade that produces a smooth uniform cut.

6. EXCESS MATERIAL

- a) Any excess material shall become the property of the contractor and be removed from the site.

END

1. SCOPE

a) This Section includes the furnishing of all equipment, labour, and materials for performing all operations necessary to complete:

- .1 Excavation of all types of material encountered, including trenches for pipelines and appurtenances inside and outside structures.
- .2 Backfilling and compaction of excavated and imported fill types for structures and site, including trenches.
- .3 Sheet piling, shoring, trench box and bracing to support trench walls, side of excavations, existing structures or utilities.
- .4 Disposal of unsuitable and surplus materials.

2. GENERAL EXCAVATION

a) Existing Buried Utilities:

- .1 Prior to commencing any excavation work, notify Owner or utility authorities, establish location and state of use of buried services. Clearly mark such locations to prevent disturbance during Work.
- .2 Maintain and protect from damage water, sewer, gas, electric, telephone, and other utilities encountered.
- .3 Obtain direction of Owner or utility and Engineer before moving or otherwise disturbing utility.

b) Existing Surface Features:

- .1 Protect existing buildings, trees, and other plants, lawns, fencing, survey monuments, property pins, service poles, wires, surface features to remain and paving located within right-of-way or adjoining properties from damage while work is in progress and repair damage resulting from Work.
- .2 Where excavation necessitates root or branch cutting, do so only as approved by Engineer.

3. TRENCH EXCAVATION

- a) Trench excavation for building services shall be carried to the levels and slopes indicated on the drawings.
- b) All trenches shall be wide enough to facilitate installation of any required pipes or conduits.
- c) Applicable Industrial Safety Regulations issued under Worker's Compensation Act of PEI shall be followed during the work.
- d) Interior and exterior backfill against foundation wall shall proceed at the same rate to prevent unbalanced lateral loads or the wall shall be supported to counteract the pressure of the backfill.

4. BACKFILLING MATERIALS

- a) The various types of fill shall meet the following requirements:
 - .1 **Sand:** shall be "bedding sand" as defined by Section 402 of the *General Provisions and Contract Specifications for Highway Construction*.
 - .2 **Borrow:** shall be "common borrow" as defined by Section 206 of the *General Provisions and Contract Specifications for Highway Construction*.
 - .3 **Granular Base:** shall be "Class A granular base" as defined by Section 401 of the *General Provisions and Contract Specifications for Highway Construction*.
 - .4 **Backfill:** shall be selected material from excavation or other sources approved by engineer for intended use; and free from rocks larger than 75mm, ashes, sod, topsoil, refuse or other deleterious materials.
- b) No material containing debris, organic matter or frozen or wet material shall be used.

5. PLACEMENT

- a) Materials for rough grading and backfill shall be placed in uniform compacted layers, not exceeding 150mm in thickness, sloped to the required cross section and compacted to 95% of maximum density as determined by Modified Proctor Density unless indicated otherwise.
- b) Bedding sand fill, shall be provided for 150mm under and 300mm around and above pipes and conduits.

Section 2E – Excavation, Backfilling, and Compaction

- c) Interior and exterior backfill against foundation wall shall proceed at the same rate to prevent unbalanced lateral loads or the wall shall be supported to counteract the pressure of the backfill.
- d) Material to be compacted as indicated below (percentage of the modified proctor density):
 - .1 Trench Backfill – 100%
 - .2 Backfill within building area – 100%
 - .3 Backfill on exterior side of perimeter foundation walls – 95%
 - .4 Under pavements – 100%
 - .5 Sand under concrete slabs – 100%

6. DEWATERING

- a) This section shall provide, operate and maintain any pumping equipment required to keep all excavations dry until completion of backfilling.

7. DISPOSAL OF UNSUITABLE MATERIAL

- a) All excavated material which is unsuitable or not required for backfill shall become the property of the contractor and be removed from the site.

END

1. GENERAL

- a) This section shall supply all labour, material, equipment and supervision required to install cast-in-place concrete work sidewalks as indicated on the plans.

2. MATERIALS

- a) Portland cement: to CAN3-A5.
- b) Water: to CAN3-A23.1.
- c) Aggregates: to CAN3-A23.1. Coarse aggregates to be normal density.
- d) Air entrainment admixture: to CAN3-A266.
- e) Chemical admixture: to CAN3-A266.2 water reducing type WN. Consultant to approve accelerating or set retarding admixtures during cold and hot weather placing.
- f) Pozzolanic mineral admixtures: to CAN3-A23.5.
- g) Curing compound: white pigmented liquid membrane to ASTM CS 309 Type 2. Alternate curing (white chlorinated rubber) to CAN3-A23.1-.94 Type 2 upon written approval from Engineer.
- h) Boiled linseed oil thinned (50/50) with naphtha, mineral spirits or turpentine

3. CONCRETE MIXES

- a) Proportion normal density concrete in accordance with CAN3-A23.1, to give the following properties:
 - .1 Comp. Strength - 32 MPa.
 - .2 Slump - 80mm.
 - .3 Air Content - 6-8%
 - .4 Max Water Content - 0.45.
 - .5 Min. Cement Content - 335 kg/m cu.

4. REINFORCING

- a) Reinforcing shall be grade 400MPa deformed bars to CSA G30.18. Tie wires shall be annealed #16 gauge wire. All bending and placing of reinforcing shall be in accordance with AC1 STD. 314 and shall meet the owner's approval.
- b) Welded steel wire fabric to CSA G30.5, provide in flat sheets of gauge indicated.

5. EXECUTION

a) Sidewalk:

- .1 Sidewalk elevation shall match existing dimension or be 150mm (6 inches) above the finish grade of the existing asphalt.

b) Workmanship and Installation:

- .1 If applicable the Contractor shall remove the existing sidewalk, curb, asphalt paving or sod, then excavate to a minimum depth of 300mm below finish elevation or to the bottom or topsoil or existing sand. Soft areas shall be excavated deeper and backfilled with sandstone as directed by TIR representative.
- .2 The Contractor shall compact the sub-base to a Standard Proctor Density of 100%.
- .3 The Contractor shall supply and install sandstone and crushed gravel approved by the TIR representative to raise the base to the required level as per the drawings
- .4 The Contractor shall supply and place the concrete on a pre-wet base as per these Specifications and Drawings.
- .5 Obtain TIR representative approval before placing concrete. Provide 24 h notice prior to placing of concrete. All reinforcement shall be in place and approved before concrete placement shall commence.
- .6 Pumping of concrete is permitted only after approval of equipment and mix
- .7 Ensure reinforcement and inserts are not disturbed during concrete placement.
- .8 Prior to placing of concrete, obtain TIR representative approval of proposed method for protection of concrete during placing and curing in adverse weather conditions, as per CAN/CSA-A23.1 and A23.2, clause 21.2.3.
- .9 Maintain accurate records of poured concrete items to indicate date, location of pour, quantity, air temperature, concrete temperature in place for 7 days, and test samples taken.
- .10 In locations where the new sidewalk is abutting an existing sidewalk, the connection shall be made as follows:
 - (a) Holes shall be drilled along the horizontal centerline of the existing sidewalk to a depth of 150mm.

Section 2J – Concrete Sidewalks

(b) The end holes shall be 150mm from front and back of the slab. The other holes shall be equally spaced to a maximum spacing of 300mm unless otherwise approved by the TIR representative.

(c) 300mm long dowels of 15M rebar shall be tapped into each of these holes and the protruding 150mm end shall be wrapped in polyethylene to permit slippage.

.11 When connecting to existing sidewalk, in some instances, the Contractor shall be required to saw cut the existing sidewalk before removing any broken sections.

.12 Construction joints shall be provided where concrete work is interrupted or stopped; these joints are to be oil coated, so they will serve as control joints.

.13 Control joints having a depth not less than 1/4 the depth of the sidewalk and a width not greater than 6mm shall be provided at intervals specified by the TIR representative. These joints may be hand tooled or sawed.

.14 Isolation joints shall be provided along the face of any abutting structure.

.15 At crosswalk locations, islands and where noted on drawings, the sidewalk is to be tapered to the street level to allow for wheelchair access. The location of these tapers is to be approved by the TIR representative. The slope of the tapers shall meet standards of the latest NBCC.

.16 The sidewalk shall be lowered at all driveways and ramps and the slab thickness at these intersections shall be 150mm (6 inches) thick.

.17 Non-skid surface shall be provided on all sidewalks. Broom finish.

.18 Prior to placing concrete, wet prepared surface with water. Water to CAN3-A23.1 and shall not have any deleterious effects on the concrete.

c) Finishing

.1 Finish concrete in accordance with CAN3-A23.1. Exposed sharp edges of concrete with carborundum to produce 3mm radius edges unless otherwise detailed.

d) Field Quality Control

- .1 Inspection and testing of concrete and concrete materials will be carried out by a testing laboratory designated by the Owner. Owner will pay all costs for testing.

e) Curing

- .1 Cure all concrete in accordance with CAN3-A23.1-M94
- .2 Curing compound shall be applied by suitable low pressure spray method and in strict conformance with manufacturer's recommendations.
- .3 All concrete work shall be cured for minimum of 7 days at a minimum temp of 10 deg. C. The Contractor shall keep the temperature records at which the work is cured.
- .4 Slab edges shall be sprayed within one hour of removal of forms.

f) Clean-up

- .1 The Contractor shall supply and place topsoil and seed along edges of the sidewalk or curb to the satisfaction of the TIR representative.
- .2 The Contractor shall supply, place and compact asphalt pavement along edges of the sidewalk or curb, damaged during this project, to the satisfaction of the TIR representative.

END

Montague Intermediate School – Bus Drop-Off Driveway Addition
PEIG TIE #375-25198
Section 2L – Manholes and Catch Basins

1. GENERAL

- a) At least two weeks prior to commencing Work, submit manufacturer's test data and certification that material meet requirements of this Section. Include manufacturer's drawings information and Shop Drawings as per Section 01340.

2. MATERIALS

a) Manholes:

.1 Accepted Product:

- (a) Campbell's Concrete Limited, Shaw or approved equal to ASTM C-478

- b) Precast manholes section shall conform to the dimensions and requirements shown on the Drawings. Base section to be precast.

- c) Joints to be made watertight using bituminous gaskets or neoprene o-rings.

- d) Concrete for manhole construction, pipe protection, etc., shall conform to the latest CSA Specification A 23 "Standards for Concrete and Reinforced Concrete".

e) Frames and Covers:

- .1 Round catch basin covers shall be IMP R-11, 600mm diameter not less than 140kg mass.

- .2 Round manhole covers shall be IMP R-10, 600mm diameter not less than 145kg mass.

- .3 Adjustments to manhole and catch basin tops shall only be made using precast reinforced grade rings.

- f) Drop manholes shall be precast integral sections from an approved supplier, if specified.

3. EXECUTION

a) Excavation and Backfill

- .1 Excavate and backfill in accordance with Section 2E.

- .2 Obtain approval of Consultant before backfilling manholes/catch basins.

b) Installation

.1 For Precast Units

- (a) Set bottom section of precast unit on bed of cement mortar and bond to concrete slab or base. Make each successive joint watertight with approved rubber ring gasket.
- (b) Plug lifting holes with concrete plugs set in cement mortar or mastic compound.

.2 Installing Units in Existing System

- (a) Where a new unit is to be installed in an existing run of pipe, ensure full support of existing pipe during installation and carefully remove that portion of existing pipe to dimensions required and install new unit as Specified.
- (b) Make all joints watertight between new unit and existing pipe.
- (c) Where deemed expedient to maintain service around existing pipes and when system constructed under this Project are ready to be put in operation, complete installation with appropriate breakouts, removals, re-directions of flow, blocking unused pipes or other necessary Work.

.3 Place frame and cover on top section to elevation indicated. If adjustment is required, use concrete ring.

.4 Clean units of debris and foreign materials. Remove fins and sharp projections. Prevent debris from entering system.

c) Leakage Testing

- .1 Install watertight plugs or seals on inlets and outlets of each new manhole and fill manhole with water. Leakage not to exceed 0.3% per hour times volume of manhole.
- .2 If permissible leakage is exceeded, correct defects. Repeat until acceptable.
- .3 Contractor shall issue Test Certificates for each manhole passing test. Contractor shall pay all testing costs. Insert Test Result as per Section 01731.

END